

PRESS BRIEFING 10.26.21

LOUISIANA'S MASK MANDATE LIFTED

STILL RECOMMENDED INDOORS FOR MOST, K-12 SCHOOLS MUST HAVE MASK MANDATE OR FOLLOW CDC QUARANTINE GUIDANCE **TESTS CONDUCTED**

10,853,971

CASES REPORTED

756,969

DEATHS

14,496

U.S. STATES: CASES PER CAPITA

rercent intected. 10.00%

13. Kentucky

Population: 4,467,673 Percent Infected: 16.28%

14. Louisiana

Population: 4,648,794 Percent Infected: 16.20%


15. Oklahoma

Population: 3,956,971 Percent Infected: 16.07%

16. Idaho

Population: 1,787,065 Percent Infected: 15.58% NATIONAL RANK





CURRENT HOSPITALIZATION INFO

COVID+ PATIENTS

323

NOT ON VENT

269

ON VENTILATOR

54

PATIENTS UNDER INVESTIGATION

26

NOT ON VENT

26


ON VENTILATOR

0






Louisiana COVID-19 Epidemiologic Review








Louisiana COVID-19 Epidemiologic Review









Gating Indicators | Region 1 - New Orleans














Gating Indicators | Region 2 - Baton Rouge












3 Day

⊕ 7 Day


Jun 1, 21



Gating Indicators | Region 3 - South Central








Mar 1, 21













Gating Indicators | Region 5 - Southwest
















Gating Indicators | Region 6 - Central











Mar 1, 20 Jun 1, 20

Sep 1, 20

Dec 1, 20

Mar 1, 21

Jun 1, 21



Sep 1, 21



Sep 1, 20 Dec 1, 20






Gating Indicators | Region 8 - Monroe







Gating Indicators | Region 9 - Northshore



FOR K-12 SETTINGS: COVID-19 QUARANTINE GUIDANCE

Asymptomatic individuals who may have been within 6 feet of someone infected with COVID-19 for a cumulative total of 15 minutes or more over 24 hours **SHOULD** quarantine.

QUARANTINE NOT NECESSARY IF:

- ▶ Individuals are fully vaccinated at the time of exposure and remain asymptomatic
- ▶ Individuals tested positive for COVID-19 within the last 90 days and remain asymptomatic
- Both parties were masked AND were ≥ 3 feet of each other and remain asymptomatic

DURATION:

- ▶ Standard length: 14 days after exposure
- ▶ Shortened option 1: If asymptomatic or have a negative test on days 5, 6, or 7 7 days after exposure
- ▶ Shortened option 2: If asymptomatic and no testing is done 10 days after exposure



COVID-19 Vaccine Booster Recommendation Pfizer Eligibility

Wait at least

6 months after your 2nd dose

The Pfizer booster is recommended for ages

65+

The Pfizer booster is recommended for ages

18+

- Adults who have underlying medical conditions
- Adults who work or live in high-risk settings



COVID-19 Vaccine Booster Recommendation

Moderna Eligibility

Wait at least

6 months after your 2nd dose

The Moderna booster is recommended for ages

65+

The Moderna booster is recommended for ages

18+

- Adults who have underlying medical conditions
- Adults who work or live in high-risk settings



Johnson&Johnson Eligibility

Wait at least

2 months after your single dose


The J&J booster is recommended for ages

18+



Rates of COVID-19 Deaths by Vaccination Status

April 04 - September 04, 2021 (16 U.S. jurisdictions)



In August, unvaccinated persons had:



