

Roadmap to a Resilient Louisiana: Phase Two

June 1, 2020

"New normal" for all people*

- Everyone should **wear masks or face coverings** in public except children under 2 and individuals with severe breathing issues
- Everyone should **practice good hygiene**
 - Wash hands with soap and water for at least 20 seconds; use hand sanitizer if soap and water not available
 - Clean high-touch surfaces and high traffic areas frequently
 - Avoid touching your face
 - Sneeze and cough into tissue, elbow or mask
- **Maintain physical distance** of at least 6 ft from non-household contacts
- **Sick individuals stay home**, isolate from household contacts, and contact medical providers

**THANK YOU FOR
WEARING A MASK.**

Wearing a mask or face covering can help stop the spread of the coronavirus. Thank you for doing your part to keep our staff and customers safe.



**High-risk individuals are encouraged to stay home*


Gating criteria status – May 31

Region	COVID-like Illness	Cases	Hospitalizations
STATE	Decreasing	Decreasing	Decreasing
Region 1 (New Orleans)	Decreasing	Plateau	Decreasing
Region 2 (Baton Rouge)	Decreasing	Decreasing	Decreasing
Region 3 (South Central)	Decreasing	Decreasing	Decreasing
Region 4 (Acadiana)	Decreasing	Decreasing	Decreasing
Region 5 (Southwest)	Decreasing	Plateau	Decreasing
Region 6 (Central)	Decreasing	Increasing	Increasing
Region 7 (Shreveport/Bossier)	Decreasing	Decreasing	Decreasing
Region 8 (Monroe)	Decreasing	Plateau	Increasing
Region 9 (Northshore)	Decreasing	Plateau	Decreasing

*Facility-wide COVID-19 testing is being implemented in many congregate settings throughout the state in order to enhance case detection. These efforts are identifying asymptomatic cases that are included in case counts and may impact epidemic curve trends.



Statewide Trends

Gating Indicators | All



© Mapbox © OSM

Select a region to see data for that region



Last updated 5/31/2020

Additional Information:

1) Emergency Department (ED) visits related to COVID-like illnesses (CLI) as a proportion of total ED visits. Status is based on comparison of actual and expected values - 'Warning' indicates that the actual value exceeded the expected value with a $p < 0.05$, while 'Alert' indicates that the actual value exceeded the expected value with a $p < 0.01$.


2) Epidemic curve uses data from COVID-19 cases reported to LDH to categorize the phase of the epidemic curve for Louisiana based on the recent burden of illness and trajectory. Dates indicate specimen collection date. Values are average daily incidence per 100,000 population.

3) Hospitalizations per day as reported by hospitals. Values are 3-day averages of hospitalizations per 100,000 population.

Note: All data are reported as timely, accurately, and completely as made available to us. Data are updated as we receive information that is more complete and may change over time as we learn more.



Region 1 New Orleans Trends

Gating Indicators | Region 1 - New Orleans



© Mapbox © OSM

Select a region to see data for that region



Additional Information:

1) Emergency Department (ED) visits related to COVID-like illnesses (CLI) as a proportion of total ED visits. Status is based on comparison of actual and expected values - 'Warning' indicates that the actual value exceeded the expected value with a $p < 0.05$, while 'Alert' indicates that the actual value exceeded the expected value with a $p < 0.01$.

2) Epidemic curve uses data from COVID-19 cases reported to LDH to categorize the phase of the epidemic curve for Louisiana based on the recent burden of illness and trajectory. Dates indicate specimen collection date. Values are average daily incidence per 100,000 population.

3) Hospitalizations per day as reported by hospitals. Values are 3-day averages of hospitalizations per 100,000 population.

Note: All data are reported as timely, accurately, and completely as made available to us. Data are updated as we receive information that is more complete and may change over time as we learn more.

Last updated 5/31/2020



Region 2 Baton Rouge Trends

Gating Indicators | Region 2 - Baton Rouge



© Mapbox © OSM

Select a region to see data for that region



Last updated 5/31/2020

Additional Information:

1) Emergency Department (ED) visits related to COVID-like illnesses (CLI) as a proportion of total ED visits. Status is based on comparison of actual and expected values - 'Warning' indicates that the actual value exceeded the expected value with a $p < 0.05$, while 'Alert' indicates that the actual value exceeded the expected value with a $p < 0.01$.


2) Epidemic curve uses data from COVID-19 cases reported to LDH to categorize the phase of the epidemic curve for Louisiana based on the recent burden of illness and trajectory. Dates indicate specimen collection date. Values are average daily incidence per 100,000 population.

3) Hospitalizations per day as reported by hospitals. Values are 3-day averages of hospitalizations per 100,000 population.



Note: All data are reported as timely, accurately, and completely as made available to us. Data are updated as we receive information that is more complete and may change over time as we learn more.

Region 3 South Central Trends

Gating Indicators | Region 3 - South Central



Select a region to see data for that region



Last updated 5/31/2020

Additional Information:

1) Emergency Department (ED) visits related to COVID-like illnesses (CLI) as a proportion of total ED visits. Status is based on comparison of actual and expected values - 'Warning' indicates that the actual value exceeded the expected value with a $p < 0.05$, while 'Alert' indicates that the actual value exceeded the expected value with a $p < 0.01$.


2) Epidemic curve uses data from COVID-19 cases reported to LDH to categorize the phase of the epidemic curve for Louisiana based on the recent burden of illness and trajectory. Dates indicate specimen collection date. Values are average daily incidence per 100,000 population.

3) Hospitalizations per day as reported by hospitals. Values are 3-day averages of hospitalizations per 100,000 population.

Note: All data are reported as timely, accurately, and completely as made available to us. Data are updated as we receive information that is more complete and may change over time as we learn more.



Region 4 Acadiana Trends

Gating Indicators | Region 4 - Acadiana



© Mapbox © OSM

Select a region to see data for that region



Additional Information:

1) Emergency Department (ED) visits related to COVID-like illnesses (CLI) as a proportion of total ED visits. Status is based on comparison of actual and expected values - 'Warning' indicates that the actual value exceeded the expected value with a $p < 0.05$, while 'Alert' indicates that the actual value exceeded the expected value with a $p < 0.01$.

2) Epidemic curve uses data from COVID-19 cases reported to LDH to categorize the phase of the epidemic curve for Louisiana based on the recent burden of illness and trajectory. Dates indicate specimen collection date. Values are average daily incidence per 100,000 population.


3) Hospitalizations per day as reported by hospitals. Values are 3-day averages of hospitalizations per 100,000 population.

Note: All data are reported as timely, accurately, and completely as made available to us. Data are updated as we receive information that is more complete and may change over time as we learn more.

Last updated 5/31/2020



Region 5 Southwest Trends

Gating Indicators | Region 5 - Southwest



© Mapbox © OSM

Select a region to see data for that region



Additional Information:

1) Emergency Department (ED) visits related to COVID-like illnesses (CLI) as a proportion of total ED visits. Status is based on comparison of actual and expected values - 'Warning' indicates that the actual value exceeded the expected value with a $p < 0.05$, while 'Alert' indicates that the actual value exceeded the expected value with a $p < 0.01$.

2) Epidemic curve uses data from COVID-19 cases reported to LDH to categorize the phase of the epidemic curve for Louisiana based on the recent burden of illness and trajectory. Dates indicate specimen collection date. Values are average daily incidence per 100,000 population.

3) Hospitalizations per day as reported by hospitals. Values are 3-day averages of hospitalizations per 100,000 population.

Note: All data are reported as timely, accurately, and completely as made available to us. Data are updated as we receive information that is more complete and may change over time as we learn more.

Last updated 5/31/2020



Region 6 Central Trends

Gating Indicators | Region 6 - Central



© Mapbox © OSM

Select a region to see data for that region



Additional Information:

1) Emergency Department (ED) visits related to COVID-like illnesses (CLI) as a proportion of total ED visits. Status is based on comparison of actual and expected values - 'Warning' indicates that the actual value exceeded the expected value with a $p < 0.05$, while 'Alert' indicates that the actual value exceeded the expected value with a $p < 0.01$.

2) Epidemic curve uses data from COVID-19 cases reported to LDH to categorize the phase of the epidemic curve for Louisiana based on the recent burden of illness and trajectory. Dates indicate specimen collection date. Values are average daily incidence per 100,000 population.


3) Hospitalizations per day as reported by hospitals. Values are 3-day averages of hospitalizations per 100,000 population.

Note: All data are reported as timely, accurately, and completely as made available to us. Data are updated as we receive information that is more complete and may change over time as we learn more.

Last updated 5/31/2020


Region 7 Shreveport /Bossier Trends

Gating Indicators | Region 7 - Shreveport



© Mapbox © OSM

Select a region to see data for that region



Last updated 5/31/2020

Additional Information:

1) Emergency Department (ED) visits related to COVID-like illnesses (CLI) as a proportion of total ED visits. Status is based on comparison of actual and expected values - 'Warning' indicates that the actual value exceeded the expected value with a $p < 0.05$, while 'Alert' indicates that the actual value exceeded the expected value with a $p < 0.01$.


2) Epidemic curve uses data from COVID-19 cases reported to LDH to categorize the phase of the epidemic curve for Louisiana based on the recent burden of illness and trajectory. Dates indicate specimen collection date. Values are average daily incidence per 100,000 population.

3) Hospitalizations per day as reported by hospitals. Values are 3-day averages of hospitalizations per 100,000 population.


Note: All data are reported as timely, accurately, and completely as made available to us. Data are updated as we receive information that is more complete and may change over time as we learn more.

Region 8 Monroe Trends

Gating Indicators | Region 8 - Monroe



Select a region to see data for that region



Last updated 5/31/2020

Additional Information:

1) Emergency Department (ED) visits related to COVID-like illnesses (CLI) as a proportion of total ED visits. Status is based on comparison of actual and expected values - 'Warning' indicates that the actual value exceeded the expected value with a $p < 0.05$, while 'Alert' indicates that the actual value exceeded the expected value with a $p < 0.01$.


2) Epidemic curve uses data from COVID-19 cases reported to LDH to categorize the phase of the epidemic curve for Louisiana based on the recent burden of illness and trajectory. Dates indicate specimen collection date. Values are average daily incidence per 100,000 population.

3) Hospitalizations per day as reported by hospitals. Values are 3-day averages of hospitalizations per 100,000 population.

Note: All data are reported as timely, accurately, and completely as made available to us. Data are updated as we receive information that is more complete and may change over time as we learn more.



Region 9 Northshore Trends

Gating Indicators | Region 9 - Northshore



© Mapbox © OSM

Select a region to see data for that region



Additional Information:

1) Emergency Department (ED) visits related to COVID-like illnesses (CLI) as a proportion of total ED visits. Status is based on comparison of actual and expected values - 'Warning' indicates that the actual value exceeded the expected value with a $p < 0.05$, while 'Alert' indicates that the actual value exceeded the expected value with a $p < 0.01$.

2) Epidemic curve uses data from COVID-19 cases reported to LDH to categorize the phase of the epidemic curve for Louisiana based on the recent burden of illness and trajectory. Dates indicate specimen collection date. Values are average daily incidence per 100,000 population.

3) Hospitalizations per day as reported by hospitals. Values are 3-day averages of hospitalizations per 100,000 population.

Note: All data are reported as timely, accurately, and completely as made available to us. Data are updated as we receive information that is more complete and may change over time as we learn more.

Last updated 5/31/2020

Testing & contact tracing


Testing

- Goal: 200K by end of May
 - ✓ 206,858 tests as of May 31
- Goal: 10% positivity or lower
 - ✓ Under 10% on new results for 24 days

Contact tracing

- Goal: By May 15, more than 250 Louisianans hired as contact tracers
 - ✓ 613 hired
 - ✓ 303 have completed training
- Goal: 100% of calls within 24 hours
 - ❑ More than 90% of cases reached out within 24 hours
- Additionally, 219 cases/contacts referred to resource coordinators

Statewide Percent Positive and Testing Volume



Phase Two

Now open with limitations, e.g., up to 50% occupancy with parties maintaining at least 6 feet of distance:*

- Churches
- Solo and non-contact sports
- Playgrounds, outdoor play centers
- Barbers and salons
- Museums, zoos, aquariums (no tactile exhibits)
- Gyms and fitness centers
- Malls
- Restaurants, coffee shops and cafes
- Bars and breweries with LDH food permit
- Theaters
- Casinos and video poker
- Racetracks (not open to spectators)
- Bars and breweries without LDH food permit can open at **25% occupancy seated**
- Day spa, tattoo shops, massage shops and estheticians
- Swimming pools (controlled recreational swimming)
- Bowling, skating
- Event centers

Specific guidance will be provided by the Fire Marshal's Office via **opensafely.la.gov. High-risk individuals are encouraged to stay home in Phase 2.*

Good practices

While not required, below are a few public health recommendations for businesses looking for ways to protect employees and staff:

- **Strongly encourage customers to wear masks or face coverings**
- Encourage symptom screening of customers
- Move to reservation systems
- Encourage sick leave policies that reduce the disincentive for employees to try to come to work sick
- Allow employees in high-risk groups or who directly live with/care for a high-risk individual to work in areas without direct public contact



THANK YOU FOR WEARING A MASK.

Wearing a mask or face covering can help stop the spread of the coronavirus. Thank you for doing your part to keep our staff and customers safe.

Assessing COVID risk of activities*

Time: The more time you spend with other people, the greater the risk.

Space: The closer you are to other people, the greater the risk.

People: The more people you interact with, the greater the risk.

Place: Indoor activities are riskier than outdoor activities.

High-risk individuals are encouraged to stay home in Phase 2

- Individuals 65 years old or older
- Long-term care facility residents
- Vulnerable individuals:
immunocompromised OR one or more of the following health conditions *with poor control*:
 - High blood pressure
 - Diabetes
 - Obesity
 - Chronic kidney disease
 - Heart disease

Reminder: This is our new normal

Other countries' experiences and public health experts warn us that as we ease restrictions, we could see a spike in case growth. **In order to not move backward, we all need to do our part.**

Contact tracing, testing and mitigation measures (e.g., guidance to stay 6 feet away, occupancy limits) are crucial tools in this fight, but they only work if we take them to heart.

New normal for everyone until we have a vaccine: Masks or face coverings in public, 6ft apart from others, frequent handwashing, and not touching our faces.

Individuals with higher risks are urged to stay home but *everyone* is safer at home.

Staying home when sick saves lives.

Resources

For the public

Dial 211

coronavirus.la.gov

ldh.la.gov/coronavirus

For businesses

opensafely.la.gov

Next steps

Monitor case growth, hospitalizations,
COVID-like illnesses and other factors
over next 21 days